



The current developments in health care pose a variety of challenges for hospitals, such as



- Increasing cost pressure
- Cost and treatment transparency
- Necessity for process optimization
- Increasing hygiene requirements
- Reduction of interfaces and errors
- Balance between employee satisfaction and time pressure
- Competition for patients



- Safety
- Time savings
- Error reduction
- Employee satisfaction





AESCULAP® 3D *EinsteinVision*® 3.0 - See Better





Premium 3D

EinsteinVision® 3.0 offers exceptional 3D image quality with native Full HD resolution. In addition, the system convinces with an impressive depth of field and high image contrast.

Pure viewing pleasure

Anti-fogging function

Fogged optics are bothersome, impair the view, disrupt work and can affect patient safety.

Integrated heating elements in the endoscope tip of the camera effectively and permanently prevent fogging of the optics within seconds.

Complete perspective





Smoke reduction

Electrosurgical current regularly generates disruptive smoke. Limited visibility conditions can have an influence on patient safety.

With the push of a button, a special algorithm reduces the impairment visibly.

Clarity

Red enhancement

A clearer representation of vessels and greater differentiation of red tones are also desirable.

The integrated algorithm provides precisely that at the push of a button.

Differentiated seeing

Sterile provision of **2D** components (endoscope, light cable)



TRANSPORTATION

2D OR

TRANSPORTATION

Endoscope, Light cable (camera head)



Interim storage

Placing in storage Removal from storage





Central sterilization

Cleaning, preparation for sterilization

Administration / Purchasing

Repair, replacement, complaint

Problem

- Optical components are thermally sterilized and are thereby subject to constant wear (image quality loss for users)
- Process demonstrates numerous interfaces (sources of error)
- Regular repair and/or replacement (administrative effort)
- Stocking for OR operation and "emergencies" (investments and running costs)

The **3D** *EinsteinVision*® sterile delivery concept



3D OR

Camera head with endoscope: Wipe disinfection plus sterile cover

Solution

- Sterile cover: sterile barrier between patient and camera
- Process optimization (product remains in the OR)
- Fewer interfaces (saves time and reduces sources of error)1
- Consistent image quality (no thermal sterile preparation)²
- Cost transparency (minimal repairs)
- Simple handling³
- Reduces the risk of cross-contamination⁴


SEE BETTER





Administration / Purchasing
Repair

Sterile cover in one piece with shaft for endoscope and drapefoil for camera head



²Autoclaving exposes endoscopes and light cables to repeated thermal stress resulting to continuous image degradation, shorter life span and higher repair and replacement costs. The all-in-one EV3.0 camera head is not autoclaved, therefore image quality remains stable over the lifetime.

³97% of surgeons appreciated the "ease of use" in a questionnaire answered by 34 European surgeons.

⁴The EV3.0 camera head uses a separate sterile cover for each patient that is disposed of after the operation. This concept eliminates the potential risk of cross-contamination due to the underlying design concept.

AESCULAP® 3D *EinsteinVision*® 3.0

SEE BETTER



Platform technology

In combination with EinsteinVision® 3.0, 3D and 2D camera heads are used.

Can be used universally



Cable management

Integration of camera and light cable in a "mono-cable".

Less is more



Autofocus effect

View the OR situs in sharp depth of focus without manual re-focusing.

Always in focus



To protect and improve the health of people around the world





red<mark>dot</mark> design award winner 2017



ZOOM

Enlargement of image details with the push of a button

Flexible



Image rotation

When your image is "standing on its head" you can rotate it with the push of a button (180° image rotation).

Adaptable



Light

LED offers a long service life with a high quantity of light and less maintenance.

Always available



Handling

Box-shaped camera head design enables a proper orientation for the viewing position.

Simply good



AESCULAP® - a B. Braun brand

Aesculap AG | Am Aesculap-Platz | 78532 Tuttlingen | Germany Phone +49 7461 95-0 | Fax +49 7461 95-2600 | www.aesculap.com

The main product trademark "Aesculap" is a registered trademark of Aesculap AG, the product trademark "EinsteinVision" is a registered trademark of "The Hebrew University of Jerusalem"

Subject to technical changes. All rights reserved. This brochure may only be used for the exclusive purpose of obtaining information about our products. Reproduction in any form partial or otherwise is not permitted.